



PRODUCTION LIGHTS

FOXFURY.COM



CORDLESS • 95 CRI • WATERPROOF



NOMAD® P56



NOMAD® N32 & N56

2,400 & 2,700 LUMENS

Most compact & versatile production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Mounts to magnet (included) and tripod
- ❖ Remote activation (included)
- ❖ Rechargeable Li-Ion Battery System
- ❖ 8.7 in (221 mm) tall and 4.5 lbs (2 kg)

Nomad® N56 Production Light (200-4N56)
Nomad® N32 Production Light (200-4N32)



NOMAD® P56

4,100 LUMENS

Most focused production light with built-in tripod legs

FEATURES

- ❖ Color Temperature: 5600K
- ❖ Diffuser Lens included
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8 ft (2.4 m)
- ❖ Weighs 19 lbs (8.6 kg)

Nomad® P56 Production Light (200-8P56)



NOMAD® T32



NOMAD® T32 & T56

7,000 & 8,200 LUMENS

Best self-contained 360° production light

FEATURES

- ❖ Color Temperature: 3200K or 5600K
- ❖ Rechargeable Li-Ion Battery System
- ❖ Fully deploys to 8.5 ft (2.6 m)
- ❖ Weighs 24.4 lbs (11.1 kg)

Nomad® T56 Production Light, 5600K (200-9T56)
Nomad® T32 Production Light, 3200K (200-9T32)



TRIPO-SCOPE® M1

Compact tripod with built-in Tripo-Scope® legs for use with the Nomad® N56 & N32

FEATURES

- ❖ Use the included Puck Adaptor to mount accessories to a 1/4"-20 thread
- ❖ 3/8"-16 Threaded Stud allows mounting of professional grade accessories
- ❖ Fully deploys to 7.5 ft (2.3 m)

Tripo-Scope® M1 (650-100)

N32/N56

P56

T32/T56


| SPECIFICATION | N32 (200-4N32) | N56 (200-4N56) | P56 (200-8P56) | T32 (200-9T32) | T56 (200-9T56) |
|---------------|-------------------|-------------------|--------------------|-----------------------|-----------------------|
| LUMENS (MAX) | 2,400 | 2,700 | 4,100 | 7,000 | 8,200 |
| BATTERY LIFE | 3 - 24 hours | | | | |
| CHARGE TIME | 4 hours | 4 hours | 5 hours | 7 hours | 7 hours |
| SETUP TIME | Instant | Instant | 20 sec | 20 sec | 20 sec |
| HEIGHT (MAX) | 8.7 in (0.2 m) | 8.7 in (0.2 m) | 8 ft (2.4 m) | 8.5 ft (2.6 m) | 8.5 ft (2.6 m) |
| WEIGHT | 4.5 lbs (2 kg) | 4.5 lbs (2 kg) | 19 lbs (8.6 kg) | 24.4 lbs (11.1 kg) | 24.4 lbs (11.1 kg) |
| CRI | 95 | | | | |
| COLOR TEMP | 3200K | 5600K | | 3200K | 5600K |

 DISTRIBUTED BY:
 
FOXFURY LIGHTING SOLUTIONS
 760.945.4231
 OCEANSIDE, CA, USA

FOXFURY.COM